

CLAIMS

What is claimed is:

- 1 1. A method for displaying phases in which components of a system are delivered
2 comprising the steps of:
 - 3 (a) displaying a pictorial representation of an existing system including a plurality of
4 components;
 - 5 (b) presenting a first set of components that are to be delivered in a first phase by
6 indicia coding the same; and
 - 7 (c) presenting a second set of components that are to be delivered in a second phase
8 by indicia coding the same in a manner unique with respect to the indicia coding
9 of the first set of components.
- 1 2. A method for displaying phases in which components of a system are delivered
2 as recited in claim 1, wherein a legend is presented which defines the indicia
3 coding with respect to the phases of delivery of the components.
- 1 3. A method for displaying phases in which components of a system are delivered
2 as recited in claim 1, wherein the components of the existing system are selected
3 from the group of components including security services, network services, web
4 services, client services, integration capabilities, data services, directory services,
5 management services, operation services, and developer services.
- 1 4. A method for displaying phases in which components of a system are delivered
2 as recited in claim 1, wherein the components of the existing system are selected
3 from the group of components including commerce-related services, content-
4 related services, administration-related services, customer-related services, and
5 education-related services.

- 1 5. A method for displaying phases in which components of a system are delivered
2 as recited in claim 1, wherein the indicia coding is selected from the group of
3 indicia coding including texture coding, color coding, and shading coding.
- 1 6. A method for displaying phases in which components of a system are delivered
2 as recited in claim 1, wherein the existing system is a web architecture
3 framework.
- 1 7. A computer program embodied on a computer readable medium for displaying
2 phases in which components of a system are delivered comprising:
3 (a) a code segment that displays a pictorial representation of an existing system
4 including a plurality of components;
5 (b) a code segment that presents a first set of components that are to be delivered in
6 a first phase by indicia coding the same; and
7 (c) a code segment that presents a second set of components that are to be delivered
8 in a second phase by indicia coding the same in a manner unique with respect to
9 the indicia coding of the first set of components.
- 1 8. A computer program for displaying phases in which components of a system are
2 delivered as recited in claim 7, wherein a legend is presented which defines the
3 indicia coding with respect to the phases of delivery of the components.
- 1 9. A computer program for displaying phases in which components of a system are
2 delivered as recited in claim 7, wherein the components of the existing system
3 are selected from the group of components including security services, network
4 services, web services, client services, integration capabilities, data services,
5 directory services, management services, operation services, and developer
6 services.
- 1 10. A computer program for displaying phases in which components of a system are
2 delivered as recited in claim 7, wherein the components of the existing system

3 are selected from the group of components including commerce-related services,
4 content-related services, administration-related services, customer-related
5 services, and education-related services.

1 11. A computer program for displaying phases in which components of a system are
2 delivered as recited in claim 7, wherein the indicia coding is selected from the
3 group of indicia coding including texture coding, color coding, and shading
4 coding.

1 12. A computer program for displaying phases in which components of a system are
2 delivered as recited in claim 7, wherein the existing system is a web architecture
3 framework.

1 13. A system for displaying phases in which components of a system are delivered
2 comprising:

- 3 (a) logic for displaying a pictorial representation of an existing system including a
4 plurality of components;
5 (b) logic for presenting a first set of components that are to be delivered in a first
6 phase by indicia coding the same; and
7 (c) logic for presenting a second set of components that are to be delivered in a
8 second phase by indicia coding the same in a manner unique with respect to the
9 indicia coding of the first set of components.

1 14. A system for displaying phases in which components of a system are delivered as
2 recited in claim 13, wherein a legend is presented which defines the indicia
3 coding with respect to the phases of delivery of the components.

1 15. A system for displaying phases in which components of a system are delivered as
2 recited in claim 13, wherein the components of the existing system are selected
3 from the group of components including security services, network services, web

Accepted for Publication

Sub
B

4
5

- 1
- 2
- 3
- 4
- 5

- 1
- 2
- 3

1
2[illegible]